

KYC & AUDIT.

Novos is an agency specializing in blockchain technology solutions, Audits, KYC / Doxx.





CERTIFICATE OF COMPLIANCE

Smart Contract Audit by NOVOS









Table of Contents

- Audit Summary
- Project Overview
- **❖ Token Summary**
- ❖ Main Contract Assessed
- Smart Contract Vulnerability Checks
- Contract Ownership
- Priviliged Functions
- Important Notes The Users
- Findings Summary
- Classification of Issues

- **❖** Findings Summary
- Classification of Issues
- **❖ Findings Table**
- **❖ Public function that could be declared external**
- Missing events arithmetic
- **❖** Statistics
- Liquidity
- ❖ Token Holders
- Liquidity Holders
- Liquidity Ownership



Audit Summary

This report has been prepared for Edelweiss on the BSC network. Novos provides both client-centered and usercentered examination of the smart contracts and their current status when applicable. This report represents the security assessment made to find issues and vulnerabilities on the source code along with the current liquidity and token holder statistics of the protocol.

A comprehensive examination has been performed, utilizing Cross Referencing, Static Analysis, In-House Security Tools, and line-by-line Manual Review.

The auditing process pays special attention to the following considerations:

- Ensuring contract logic meets the specifications and intentions of the client without exposing the user's funds to risk.
- Testing the smart contracts against both common and uncommon attack vectors.
- Inspecting liquidity and holders statistics to inform the current status to both users and client when applicable.
- Assessing the codebase to ensure compliance with current best practices and industry standards.
- Verifying contract functions that allow trusted and/or untrusted actors to mint, lock, pause, and transfer assets.
- Thorough line-by-line manual review of the entire codebase by industry experts.



Project Overview

Parameter	Result
Address	0x0D5F55e27F8cac25dDbC0b5e57e7039C0d89c1c5
Name	Edelweiss
Token Tracker	EDEL
Decimals	9
Supply	1,000,000
Platform	BSC
Compiler	v0.8.7+commit.e28d00a7
Optimization	Yes with 1 runs
Other Settings:	default evmVersion
Language	Solidity
Codebase	https://bscscan.com/address/0x0D5F55e27F8cac25dDbC0b5e57e7039C0d8 <u>9c1c5#code</u>
Url	https://edel-weiss.io/

Main Contract Assessed

Name	Contract	Live
Edelweiss	0x0D5F55e27F8cac25dDbC0b5e57e7039C0d89c1c5	Yes



Smart Contract Vulnerability Checks

Vulnerability	Automatic Scan	Manual Scan	Result
 Unencrypted Private Data On-Chain 	✓ Complete	✓ Complete	✓ Low/No Risk
❖ Code With No Effects	✓ Complete	✓ Complete	✓ Low/No Risk
 Message call with hardcoded gas amount 	✓ Complete	✓ Complete	✓ Low/No Risk
Hash Collisions With Multiple Variable Length Arguments	✓ Complete	✓ Complete	✓ Low/No Risk
 Unexpected Ether balance 	✓ Complete	✓ Complete	✓ Low/No Risk
Presence of unused variables	✓ Complete	✓ Complete	✓ Low/No Risk
❖ Right-To-Left-Override control character (U+202E)	✓ Complete	✓ Complete	✓ Low/No Risk
Typographical Error	✓ Complete	✓ Complete	✓ Low/No Risk
Typographical Effor DoS With Block Gas Limit	✓ Complete	✓ Complete	✓ Low/No Risk
			✓ Low/No Risk
❖ Arbitrary Jump with Function Type Variable	✓ Complete	✓ Complete	
♦ Insufficient Gas Griefing	✓ Complete	✓ Complete	✓ Low/No Risk
❖ Incorrect Inheritance Order	✓ Complete	✓ Complete	✓ Low/No Risk
❖ Write to Arbitrary Storage Location	✓ Complete	✓ Complete	✓ Low/No Risk
Requirement Violation	✓ Complete	✓ Complete	✓ Low/No Risk
Missing Protection against Signature Replay Attacks	✓ Complete	✓ Complete	✓ Low/No Risk
 Weak Sources of Randomness from Chain Attributes 	✓ Complete	✓ Complete	✓ Low/No Risk









Smart Contract Vulnerability Checks

Vulnerability	Automatic Scan	Manual Scan	Result
 Authorization through tx.origin 	✓ Complete	✓ Complete	✓ Low/No Risk
Delegatecall to Untrusted Callee	✓ Complete	✓ Complete	✓ Low/No Risk
 Use of Deprecated Solidity Functions 	✓ Complete	✓ Complete	✓ Low/No Risk
❖ Assert Violation	✓ Complete	✓ Complete	✓ Low/No Risk
❖ Reentrancy	✓ Complete	✓ Complete	✓ Low/No Risk
 Unprotected SELFDESTRUCT Instruction 	✓ Complete	✓ Complete	√ Low/No Risk
 Unprotected Ether Withdrawal 	✓ Complete	✓ Complete	✓ Low/No Risk
Unchecked Call Return Value	✓ Complete	✓ Complete	✓ Low/No Risk
 Outdated Compiler Version 	✓ Complete	✓ Complete	✓ Low/No Risk
 Integer Overflow and Underflow 	✓ Complete	✓ Complete	✓ Low/No Risk
❖ Function Default Visibility	✓ Complete	✓ Complete	✓ Low/No Risk









Contract Ownership

The contract ownership of Edelweiss is not currently renounced. The ownership of the contract grants special powers to the protocol creators, making them the sole addresses that can call sensible ownable functions that may alter the state of the protocol.

01

The current owner is the address 0x01A1e9b82121901a6Ec156f8335F7c6314D346Ff which can be viewed from: HERE



The owner wallet has the power to call the functions displayed on the priviliged functions chart below, if the owner wallet is compromised this privileges could be exploited.



We recommend the team to renounce ownership at the right timing if possible, or gradually migrate to a timelock with governing functionalities in respect of transparency and safety considerations.



Important Notes To The Users:



LiquidityFee = 0;

Auto liquidiy added & burned marketingFee = 90;

- totalFee = liquidityFee + marketingFee;
 feeDenominator = 1000;
- function setWalletLimit(uint256 amountPercent) external onlyOwner {
 _maxWalletAmount = (_totalSupply * amountPercent) / 1000;
- modifier onlyOwner() {
 require(isOwner(msg.sender), "!OWNER"); _;
- library SafeMath { function add(uint256 a, uint256 b) internal pure returns (uint256) { uint256 c = a + b; require(c >= a, "SafeMath: addition overflow"); return c;
- function sub(uint256 a, uint256 b) internal pure returns (uint256) { return sub(a, b, "SafeMath: subtraction overflow");

- function mul(uint256 a, uint256 b) internal pure returns (uint256) { if (a == 0) { return 0;
- interface IDEXFactory { function createPair(address tokenA, address tokenB) external returns (address pair);
- function totalSupply() external view returns (uint256); function decimals() external view returns (uint8); function symbol() external view returns (string memory); function name() external view returns (string memory); function getOwner() external view returns (address); function balanceOf(address account) external view returns (uint256);
- optimizer": { "enabled": true, "runs": 1
 - function transfer(address recipient, uint256 amount)
 external returns (bool); function allowance(address
 _owner, address spender) external view returns
 (uint256); function approve(address spender, uint256
 amount) external returns (bool); function
 transferFrom(address sender, address recipient,
 uint256 amount) external returns (bool);



Technical Findings Summary

Classification of Issues

Total

What you should pay attention to **Total** Medium High Bugs or issues with that may be subject to Medium High Exploits, vulnerabilities or errors that will certainly exploit, though their impact is somewhat or probabilistically lead towards loss of funds, limited. Issues under this classification are **Edelweiss** control, or impairment of the contract and its recommended to be fixed as soon as possible. functions. Issues under this classification are recommended to be fixed with utmost urgency Info Low Info Low Consistency, syntax or style best Effects are minimal in isolation and do not pose a practices. Generally pose a negligible significant danger to the project or its users. Issues under this classification are recommended to be fixed level of risk, if any.

nonetheless.



Findings

Public function that could be declared external



ID	Severity	Contract	Function
01	Informational	Edelweiss	Functions: size, getKeyAtIndex, getIndexOfKey

Description

Gas Optimization. Public function that could be declared external

Recommendation

Public functions that are never called by the contract should be declared external to save gas.



Findings

Missing events arithmetic



ID	Severity	Contract	Function
02	Informational	Edelweiss	Missing events for setWalletBalance, setMaxBuyTransaction, setMaxSellTransaction, setSwapTokensAtAmount, setSellTransactionMultiplier

Description

Functions that change critical arithmetic parameters should emit an event.

Recommendation

Emit corresponding events for critical parameter changes.



Priviliged Functions (onlyOwner & Others)

Function Name	Parameters	Visibility
✓ renounceOwnership	■ none	external
✓ transferOwnership	address newOwner	• public
✓ prepareForPartherOrExchang eListing	 address_partnerOrExchangeAddress 	• external
✓ setWalletBalance	 uint256 _maxWalletBalance 	external
✓ setMaxBuyTransaction	■ uint256_maxTxn	■ external
✓ setMaxSellTransaction	■ uint256_maxTxn	 external
✓ updateBusdDividendToken	 address _newContract 	 external
✓ updateMarketingWallet	address_newWallet	 external
✓ setSwapTokensAtAmount	■ uint256_swapAmount	 external
✓ setSellTransactionMultiplier	■ uint256_multiplier	 external
✓ setTradingIsEnabled	■ none	 external
✓ setBusdDividendEnabled	bool_enabled	 external
✓ setMarketingEnabled	bool_enabled	external
✓ setSwapAndLiquifyEnabled	bool_enabled	• external
✓ updatebusdDividendTracker	address newAddress	• external
✓ updateUniswapV2Router	address newAddress	• external



Priviliged Functions (onlyOwner & Others)

Function Name	Parameters	Visibility
✓ excludeFromFees	address account, bool excluded	- public
✓ excludeFromDividend	 address account 	• public
✓ setAutomatedMarketMakerP air	 address pair, bool value 	external
✓ updateGasForProcessing	■ uint256 newValue	external
✓ updateMinimumBalanceForDi vidends	 uint256 newMinimumBalance 	 external
✓ updateClaimWait	■ uint256 claimWait	external
✓ processDividendTracker	■ uint256 gas	external







Parameter	Result
Pair Address	0xb2B7248b9aCf4Ba92Bf4591c4E3f16Cea3AFdF12
EDEL Reserves	O EDEL
Reserves, BSC	0 BSC
Liquidity Value	\$ O



Novos Statistics

Token (EDEL) Holders Info

Parameter	Result
EDEL Percentage Burnt	O %
EDEL Amount Burnt	0 EDEL
Top 10 Percentage Own	100 %
Top 10 Amount Owned	1,000,000,000 EDEL





Disclaimer

Novos has conducted an independent audit to verify the integrity of and highlight any vulnerabilities or errors, intentional or unintentional, that may be present in the codes that were provided for the scope of this audit. This audit report does not constitute agreement, acceptance or advocation for the Project that was audited, and users relying on this audit report should not consider this as having any merit for financial advice in any shape, form or nature. The contracts audited do not account for any economic developments that may be pursued by the Project in question, and that the veracity of the findings thus presented in this report relate solely to the proficiency, competence, aptitude and discretion of our independent auditors, who make no guarantees nor assurance that the contracts are completely free of exploits, bugs, vulnerabilities or deprecation of technologies.

All information provided in this report does not constitute financial or investment advice, nor should it be used to signal that any persons reading this report should invest their funds without sufficient individual due diligence regardless of the findings presented in this report. Information is provided 'as is', and Novos is under no covenant to the completeness, accuracy or solidity of the contracts audited. In no event will Novos or its partners, employees, agents or parties related to the provision of this audit report be liable to any parties for, or lack thereof, decisions and/or actions with regards to the information provided in this audit report.

The assessment services provided by Novos is subject to dependencies and under continuing development. You agree that your access and/or use, including but not limited to any services, reports, and materials, will be at your sole risk on an as-is, where- is, and as-available basis. Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives, false negatives, and other unpredictable results. The services may access, and depend upon, multiple layers of third-parties.