

#### **KYC & AUDIT.**

Novos is an agency specializing in blockchain technology solutions, Audits, KYC / Doxx.





# **CERTIFICATE OF COMPLIANCE**

Smart Contract Audit by NOVOS







MetaThieves

**Audit Passed** 

10/01/2022



# Table of Contents

- Audit Summary
- Project Overview
- **❖ Token Summary**
- ❖ Main Contract Assessed
- Smart Contract Vulnerability Checks
- Contract Ownership
- Priviliged Functions
- Important Notes The Users
- Findings Summary
- Classification of Issues

- **❖** Findings Summary
- Classification of Issues
- **❖ Findings Table**
- **❖ Public function that could be declared external**
- Missing events arithmetic
- **❖** Statistics
- Liquidity
- ❖ Token Holders
- Liquidity Holders
- Liquidity Ownership



# Audit Summary

This report has been prepared for MetaThieves on the BSC network. Novos provides both client-centered and usercentered examination of the smart contracts and their current status when applicable. This report represents the security assessment made to find issues and vulnerabilities on the source code along with the current liquidity and token holder statistics of the protocol.

A comprehensive examination has been performed, utilizing Cross Referencing, Static Analysis, In-House Security Tools, and line-by-line Manual Review.

The auditing process pays special attention to the following considerations:

- Ensuring contract logic meets the specifications and intentions of the client without exposing the user's funds to risk.
- Testing the smart contracts against both common and uncommon attack vectors.
- Inspecting liquidity and holders statistics to inform the current status to both users and client when applicable.
- Assessing the codebase to ensure compliance with current best practices and industry standards.
- Verifying contract functions that allow trusted and/or untrusted actors to mint, lock, pause, and transfer assets.
- Thorough line-by-line manual review of the entire codebase by industry experts.



# Project Overview

Parameter	Result	
Address	0xc29f5420b0d784ffdEdA1901F48b60A486a65573	
Name	MTTToken	
Token Tracker	МТТ	
Decimals	18	
Supply	20,000,000	
Platform	BSC	
Compiler	v0.8.10+commit.fc410830	
Optimization	No with 200 runs	
Other Settings:	default evmVersion	
Language	Solidity	
Codebase	https://bscscan.com/address/0xc29f5420b0d784ffdeda1901f48b60a486a655 73#code	
Url	https://metathieve.com/	

### Main Contract Assessed

Name	Contract	Live
MetaThieves	0xc29f5420b0d784ffdEdA1901F48b60A486a65573	Yes



# Smart Contract Vulnerability Checks

Vulnerability	Automatic Scan	Manual Scan	Result
<ul> <li>Unencrypted Private Data On-Chain</li> </ul>	✓ Complete	✓ Complete	✓ Low/No Risk
❖ Code With No Effects	✓ Complete	✓ Complete	✓ Low/No Risk
<ul> <li>Message call with hardcoded gas amount</li> </ul>	✓ Complete	✓ Complete	✓ Low/No Risk
Hash Collisions With Multiple Variable Length Arguments	✓ Complete	✓ Complete	✓ Low/No Risk
<ul> <li>Unexpected Ether balance</li> </ul>	✓ Complete	✓ Complete	✓ Low/No Risk
Presence of unused variables	✓ Complete	✓ Complete	✓ Low/No Risk
❖ Right-To-Left-Override control character (U+202E)	✓ Complete	✓ Complete	✓ Low/No Risk
Typographical Error	✓ Complete	✓ Complete	✓ Low/No Risk
Typographical Effor     DoS With Block Gas Limit	✓ Complete	✓ Complete	✓ Low/No Risk
			✓ Low/No Risk
❖ Arbitrary Jump with Function Type Variable	✓ Complete	✓ Complete	
♦ Insufficient Gas Griefing	✓ Complete	✓ Complete	✓ Low/No Risk
❖ Incorrect Inheritance Order	✓ Complete	✓ Complete	✓ Low/No Risk
❖ Write to Arbitrary Storage Location	✓ Complete	✓ Complete	✓ Low/No Risk
Requirement Violation	✓ Complete	✓ Complete	✓ Low/No Risk
Missing Protection against Signature Replay Attacks	✓ Complete	✓ Complete	✓ Low/No Risk
<ul> <li>Weak Sources of Randomness from Chain Attributes</li> </ul>	✓ Complete	✓ Complete	✓ Low/No Risk









# Smart Contract Vulnerability Checks

Vulnerability	Automatic Scan	Manual Scan	Result
<ul> <li>Authorization through tx.origin</li> </ul>	✓ Complete	✓ Complete	✓ Low/No Risk
Delegatecall to Untrusted Callee	✓ Complete	✓ Complete	✓ Low/No Risk
<ul> <li>Use of Deprecated Solidity Functions</li> </ul>	✓ Complete	✓ Complete	✓ Low/No Risk
❖ Assert Violation	✓ Complete	✓ Complete	✓ Low/No Risk
❖ Reentrancy	✓ Complete	✓ Complete	✓ Low/No Risk
<ul> <li>Unprotected SELFDESTRUCT Instruction</li> </ul>	✓ Complete	✓ Complete	√ Low/No Risk
<ul> <li>Unprotected Ether Withdrawal</li> </ul>	✓ Complete	✓ Complete	✓ Low/No Risk
<ul> <li>Unchecked Call Return Value</li> </ul>	✓ Complete	✓ Complete	✓ Low/No Risk
<ul> <li>Outdated Compiler Version</li> </ul>	✓ Complete	✓ Complete	✓ Low/No Risk
<ul> <li>Integer Overflow and Underflow</li> </ul>	✓ Complete	✓ Complete	✓ Low/No Risk
<ul> <li>Function Default Visibility</li> </ul>	✓ Complete	✓ Complete	✓ Low/No Risk









# Contract Ownership

The contract ownership of MTTToken is not currently renounced. The ownership of the contract grants special powers to the protocol creators, making them the sole addresses that can call sensible ownable functions that may alter the state of the protocol.

01

The current owner is the address 0xab98d317a98ce63752e957db667cdb3d36bae0d1 which can be viewed from: HERE



The owner wallet has the power to call the functions displayed on the priviliged functions chart below, if the owner wallet is compromised this privileges could be exploited.



We recommend the team to renounce ownership at the right timing if possible, or gradually migrate to a timelock with governing functionalities in respect of transparency and safety considerations.



# Important Notes To The Users:



- Finally, the non-standard {decreaseAllowance} and {increaseAllowance} \* functions have been added to mitigate the well-known issues around setting \* allowances. See {IERC20-approve}.
- Atomically decreases the allowance granted to `spender` by the caller. \* \* This is an alternative to {approve} that can be used as a mitigation for \* problems described in {IERC20-approve}. \* \* Emits an {Approval} event indicating the updated allowance.
- Hook that is called before any transfer of tokens. This includes \* minting and burning.

IMPORTANT: Beware that changing an allowance with this method brings the risk \* that someone may use both the old and the new allowance by unfortunate \* transaction ordering. One possible solution to mitigate this race \* condition is to first reduce the spender's allowance to 0 and set the \* desired value afterwards



### Technical Findings Summary

Classification of Issues

#### **Total**

What you should pay attention to **Total** Medium High Bugs or issues with that may be subject to Medium High Exploits, vulnerabilities or errors that will certainly exploit, though their impact is somewhat or probabilistically lead towards loss of funds, limited. Issues under this classification are MetaThieves control, or impairment of the contract and its recommended to be fixed as soon as possible. functions. Issues under this classification are recommended to be fixed with utmost urgency Info Low Info Low Consistency, syntax or style best Effects are minimal in isolation and do not pose a practices. Generally pose a negligible significant danger to the project or its users. Issues under this classification are recommended to be fixed level of risk, if any.

nonetheless.



# Findings

Public function that could be declared external



ID	Severity	Contract	Function
01	Informational	MTTToken	Functions: size, getKeyAtIndex, getIndexOfKey

#### Description

Gas Optimization. Public function that could be declared external

#### Recommendation

Public functions that are never called by the contract should be declared external to save gas.



# Findings

Missing events arithmetic



ID	Severity	Contract	Function
02	Informational	MTTToken	Missing events for setWalletBalance, setMaxBuyTransaction, setMaxSellTransaction, setSwapTokensAtAmount, setSellTransactionMultiplier

#### Description

Functions that change critical arithmetic parameters should emit an event.

#### Recommendation

Emit corresponding events for critical parameter changes.



# Priviliged Functions (onlyOwner & Others)

Function Name	Parameters	Visibility
✓ renounceOwnership	■ none	<ul><li>external</li></ul>
✓ transferOwnership	address newOwner	• public
✓ prepareForPartherOrExchang eListing	<ul> <li>address_partnerOrExchangeAddress</li> </ul>	• external
✓ setWalletBalance	<ul> <li>uint256 _maxWalletBalance</li> </ul>	<ul> <li>external</li> </ul>
✓ setMaxBuyTransaction	■ uint256_maxTxn	■ external
✓ setMaxSellTransaction	■ uint256_maxTxn	<ul> <li>external</li> </ul>
✓ updateBusdDividendToken	<ul> <li>address _newContract</li> </ul>	<ul> <li>external</li> </ul>
✓ updateMarketingWallet	address_newWallet	<ul> <li>external</li> </ul>
✓ setSwapTokensAtAmount	■ uint256_swapAmount	<ul> <li>external</li> </ul>
✓ setSellTransactionMultiplier	■ uint256_multiplier	<ul> <li>external</li> </ul>
✓ setTradingIsEnabled	■ none	<ul> <li>external</li> </ul>
✓ setBusdDividendEnabled	bool_enabled	<ul> <li>external</li> </ul>
✓ setMarketingEnabled	bool_enabled	<ul><li>external</li></ul>
✓ setSwapAndLiquifyEnabled	bool_enabled	• external
✓ updatebusdDividendTracker	address newAddress	• external
✓ updateUniswapV2Router	address newAddress	• external



# Priviliged Functions (onlyOwner & Others)

Function Name	Parameters	Visibility
✓ excludeFromFees	address account, bool excluded	- public
✓ excludeFromDividend	<ul> <li>address account</li> </ul>	• public
✓ setAutomatedMarketMakerP air	<ul> <li>address pair, bool value</li> </ul>	<ul><li>external</li></ul>
✓ updateGasForProcessing	■ uint256 newValue	<ul><li>external</li></ul>
✓ updateMinimumBalanceForDi vidends	<ul> <li>uint256 newMinimumBalance</li> </ul>	<ul><li>external</li></ul>
✓ updateClaimWait	■ uint256 claimWait	<ul><li>external</li></ul>
✓ processDividendTracker	■ uint256 gas	<ul><li>external</li></ul>








Parameter	Result
Pair Address	-
MTT Reserves	O MTT
Reserves, BSC	O -
Liquidity Value	\$ O



# моvos Statistics

# Token (MTT) Holders Info



Rank	Address	Quantity	Percentage	Analytics
1	0xab98d317a98ce63752e957db667cdb3d36bae0d1	20,000,000	100.0000%	<u> ~*</u>



# Disclaimer

Novos has conducted an independent audit to verify the integrity of and highlight any vulnerabilities or errors, intentional or unintentional, that may be present in the codes that were provided for the scope of this audit. This audit report does not constitute agreement, acceptance or advocation for the Project that was audited, and users relying on this audit report should not consider this as having any merit for financial advice in any shape, form or nature. The contracts audited do not account for any economic developments that may be pursued by the Project in question, and that the veracity of the findings thus presented in this report relate solely to the proficiency, competence, aptitude and discretion of our independent auditors, who make no guarantees nor assurance that the contracts are completely free of exploits, bugs, vulnerabilities or deprecation of technologies.

All information provided in this report does not constitute financial or investment advice, nor should it be used to signal that any persons reading this report should invest their funds without sufficient individual due diligence regardless of the findings presented in this report. Information is provided 'as is', and Novos is under no covenant to the completeness, accuracy or solidity of the contracts audited. In no event will Novos or its partners, employees, agents or parties related to the provision of this audit report be liable to any parties for, or lack thereof, decisions and/or actions with regards to the information provided in this audit report.

The assessment services provided by Novos is subject to dependencies and under continuing development. You agree that your access and/or use, including but not limited to any services, reports, and materials, will be at your sole risk on an as-is, where- is, and as-available basis. Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives, false negatives, and other unpredictable results. The services may access, and depend upon, multiple layers of third-parties.